


Shoocin™

Introducer Kit



Product Features



Advanced Material

Advanced material improves bendability and flexibility without gapping or kinking.

Smooth Tapered Tip

Smooth tapered tip helps with easy access to the artery, reducing trauma to patients.

Smooth Transition from Dilator to Sheath

- Smooth transition from dilator to sheath greatly reduces puncture resistance, providing easy and non-traumatic insertion.
- Minimize the possibility of damaging tissue upon sheath entry, advancement or withdrawal, providing smoother, easier vascular access even through difficult access sites.



Flexible Suture Ring

Flexible suture ring offers convenient suture placement.



Special Designed Lock

Special designed lock and silicon hemostatic valve provide outstanding hemostatic function, while guaranteeing the operational ability for the catheter.




Wide Range of Specifications

Wide range of specifications including radial sheath, femoral sheath and long sheath meet different clinical needs.

Kit Components



- Sheath
- Dilator
- Guidewire (straight or J-tip)
- Puncture Needle



Ordering Information



Radial Sheath					
Catalogue No.	Diameter	Length (cm)	Needle Gauge (Ga)	Guidewire Diameter (inch)	Guidewire Length (cm)
RS040718	4F	7	20	0.018	45
RS040721	4F	7	20	0.021	45
RS050718	5F	7	20	0.018	45
RS050721	5F	7	20	0.021	45
RS060718	6F	7	20	0.018	45
RS060721	6F	7	20	0.021	45
RS041121	4F	11	20	0.021	45
RS042421	4F	24	20	0.021	70
RS051121	5F	11	20	0.021	45
RS052421	5F	24	20	0.021	70
RS061121	6F	11	20	0.021	45
RS062421	6F	24	20	0.021	70
RS071121	7F	11	20	0.021	45
RS072421	7F	24	20	0.021	70

Femoral Sheath					
Catalogue No.	Diameter	Length (cm)	Needle Gauge (Ga)	Guidewire Diameter (inch)	Guidewire Length (cm)
FS041135	4F	11	18	0.035	45
FS051135	5F	11	18	0.035	45
FS051138	5F	11	18	0.038	45
FS061135	6F	11	18	0.035	45
FS061138	6F	11	18	0.038	45
FS071135	7F	11	18	0.035	45
FS071138	7F	11	18	0.038	45
FS081135	8F	11	18	0.035	45
FS081138	8F	11	18	0.038	45
FS091138	9F	11	18	0.038	45

FS101138	10F	11	18	0.038	45
FS111138	11F	11	18	0.038	45

Long Sheath					
Catalogue No.	Diameter	Length (cm)	Needle Gauge (Ga)	Guidewire Diameter (inch)	Guidewire Length (cm)
LS061638	6F	16	18	0.038	80
LS062338	6F	23	18	0.038	80
LS071638	7F	16	18	0.038	80
LS072338	7F	23	18	0.038	80
LS081638	8F	16	18	0.038	80
LS082338	8F	23	18	0.038	80